## Why are we doing Redox Reactions?

- Some equations are very difficult to balance. By counting electron changes in oxidation and reduction we get a good start on balancing the equation.
- Determining oxidation numbers helps to review electron configurations and formula writing, the foundation of chemical communication.
- The process reminds us of the Law of Conservation of Matter, even with little things like electrons and charge.

#### **Oxidation Numbers**

#### • Definition:

The oxidation number of an element is the charge on a single atom or ion of that element.

- In standard practice, the charge of a formula is written with the number first  $SO_4^{2-}$
- The oxidation number is written with the charge first  $Mg^{+2}$
- Following these conventions helps us keep track of these ideas.

#### Oxidation Numbers

- The first step to in using redox to balance equations is to determine the oxidation numbers of elements.
- The book has a nice list of "rules" for determining oxidation numbers - I can do the same process with only two rules:
- 1. The sum of the oxidation numbers must equal the charge of the formula.
- 2. Oxygen in compounds has an oxidation number of -2 unless it is in a peroxide where it is -1.

sodium chloride NaCl sodium is +1 chlorine is -1

iron (III) oxide  $Fe_2O_3$ iron is +3 oxygen is -2

aluminum sulfate

 $Al_2(SO_4)_3$ aluminum is +3 oxygen is -2 sulfur is +6

hydrogen peroxide  $H_2O_2$ hydrogen is +1 oxygen is -1

potassium K potassium is 0

potassium ion

K+

potassium is +1

## Redox

- Reduction Oxidation
- Oxidation and reduction are complimentary processes when something is oxidized something else must be reduced.
- Three common definitions:
  - Oxidation is the addition of oxygen, reduction is the loss of oxygen
  - Oxidation is the loss of hydrogen, reduction is the gain of hydrogen
  - Oxidation is the loss of electrons, reduction is the gain of electrons.

# • LEO the lion says GER

- Loss of Electrons is Oxidation
- Gain of Electrons is Reduction

### Agents

- An agent causes something to occur.
- An oxidizing agent causes something else to be oxidized and is reduced.
- An oxidizing agent takes electrons from something else.
- A reducing agent causes something else to be reduced and is oxidized.
- A reducing agent supplies something else with electrons.

#### Half Reactions

- A half reaction only tells half the story either reduction or oxidation.
- Oxidation:
- $Fe \rightarrow Fe^{3+} + 3e^{-}$

• Reduction

 $Cl_2 + 2e^- \rightarrow 2Cl^-$ 

#### **Balancing Redox Reactions**

- There are many different styles or techniques for balancing redox reactions.
- The common part to all of the techniques is to make sure that the number of electrons lost in oxidation is equal to the number of electrons gained in reduction.
- The Law of Conservation of Matter the electrons cannot be created or destroyed.
- I don't care which technique you use, even if the book provides specific directions.

## Mr. D's Redox Steps

- 1. Write correct formulas for all reactants and products.
- 2. Determine the oxidation number of all the elements.
- 3. Write half reactions for the elements whose oxidation numbers change.
- 4. Make the electrons gained equal to the electrons lost.
- 5. Place coefficients from the half reactions into the main reaction.
- 6. Balance the rest.

## Mr. D's Redox Steps

- For ionic equations, balance the charges with H<sup>+</sup> for acid solutions and OH<sup>-</sup> for base solutions.
- 8. Balance the hydrogen and oxygen by adding water as necessary.